

# COMPANY PROFILE



[www.khanhgia.com](http://www.khanhgia.com)

## **KHANH GIA CO., LTD (KGC)**

**Address:** 15 Vo Truong Toan street, Ward 9, Vung Tau City, Viet Nam

**Web/Email:** [www.khanhgia.com](http://www.khanhgia.com) Email: [admin@khanhgia.com](mailto:admin@khanhgia.com)

## **SALES OFFICE:**

**Address:** 40D7 Phan Ke Binh street, Ward 9, Vung Tau City, Viet Nam

**Tel/Fax:** (+84) 254 383 9697 || **Fax:** (+84) 254 3593 668





**KHANH GIA**  
OIL & GAS – MARINE & POWER

[www.khanhgia.com](http://www.khanhgia.com)

### Company Overview

Founded in 2004 Khanh Gia Co.,Ltd (KGC) We providing equipment, technical solutions and services including procurement support, fabrication, installation to the customers in oil & gas, marine, shipbuilding, Refineries and Power/Industrial Plants.

### Our Vision:

KGC becoming a most reliable business partner in our market

### Our Mission:

Maximize the customer satisfaction by providing the best services, benefit both the customer and the environment, with guideline the quality and your satisfaction is measure of our success.



## OUR TRADING & SERVICES

### Diving/ Diver's & ROV Equipment & Maintenance

- Diving System/ Station
  - Diving Accessories
  - Commercial Diving
  - Military Diving
  - Underwater equipment
  - Umbilicals Reels
  - Hydraulic Hose Reels
  - Scuba Replacement Pack
  - Wet Bell & Diving Stage
  - Air Banks 6 - 16 Cylinders
  - Hyperbaric Chamber
  - Remotely Operated Vehicles
- Technical Services:**
- Repaire & Maintenance U/W
  - Calibration U/W CP, UT, MPI..

### Marine & Offshore

#### Marine/ Subsea

- Floating Hose System
- Double Carass Hoses & Camlock
- Mooring Buoys
- Load test water Bags 10 - 55 tons
- Hydraulic Winches
- Lars System
- Subsea Cable
- Winchs/Generator/Pumps/Valves

#### Offshore

- Spare parts for Vessel & FPSO
- Piping & Fittings & Valves
- Explosion-proof Electrical
- UPS & Backup Battery System
- CCTV & Communication System
- Spare parts for Cranes
- Spare parts for Compressors
- Spare parts for Drilling

### Lifting Equipment

- Steel Wire rope for Offshore
  - Wireline & Slick Line Logging
  - Steel wire rope for Cranes
  - Steel wire rope for Drilling
  - Steel wire rope for Winches
  - Steel Wire rope Slings
  - Grommet Slings
  - Synthetic Mooring System
  - Mooring Rope/ Hawasers
  - Rigging Accessories
  - Hooks and Fittings
  - Shackles and Hooks for Lifting
  - Sheave/Crane Blocks
- Tech nical Services:**
- Inspection and Certification
  - Load Testing
  - Wire rope Spooling & Installation
  - Wire rope Lubrication

### Our Services

#### Onshore and Offshore

- Repaire & Maintanace Pumps, Engine/Motors/Alternator
- Fabrication & Calibration
- Installation & Testing & Commisioning (T&C)
- Supply, Installation the CCTV System
- Supply, Installation Testing & Commisioning for LPG Storage.
- Proviton & Installation Battery System on Platform.
- Upgrading for PMS system, Control Panel & MCC System.
- Supply, Installation MV soft Starter 2,2MW - 6,6kV for Sea Pump.
- Supply, Installation HMS System



## OUR CLIENTS





## Gall Thomson

Gall Thomson Environmental Ltd  
Technology Centre, Suffing Road, Great Yarmouth  
Norfolk NR30 3QP, United Kingdom  
Tel: +44 (0) 1493 857936 | Email: mail@gall-thomson.co.uk  
Web: www.gallthomson.com | www.telleborg.com

### LETTER OF REPRESENTATION

DATE: 9<sup>th</sup> June 2023

TO: KANH GIA CO. LTD  
15 Vo Truong Toan street, ward 9  
Vung Tau City, Ba ria – Vung Tau province  
Vietnam

### ATTENTION : Mr Chi

This is to certify that KANH GIA CO. LTD, with its head office registered at, 15 Vo Truong Toan street, ward 9, Vung Tau City, Ba ria – Vung Tau province, Vietnam are hereby authorised by Gall Thomson Environmental Ltd. (hereafter referred to as "The Company") to act as our representatives in Vietnam for a minimum period of 12 months from the date of this letter and are at liberty to receive tender documents, submit our quotations and undertake sales liaison work on our behalf.

It is further certified that The Company shall provide the necessary technical support and after sales service for all Gall Thomson's products including those supplied through KANH GIA CO. LTD.

The agreement may be terminated by either party, giving the other 30 days' notice in writing.

Yours sincerely,



**Gall Thomson**

Max Virgin  
Managing Director

MD0411

Registered Address: International Drive, Tewkesbury Business Park, Tewkesbury, GL20 8UQ. Company Registered Number: 2852024  
Form: GT 023  
Issue 08  
Issue Date: 16/01/2020



## DSR

DSR CORP  
DSR WIRE CORP

Location: 203 Bongseung-ro 5F, Gangnam-gu, Seoul, Korea, 06109  
Contact Number: TEL: 02-3420-3500 FAX: 02-3420-3600

20<sup>th</sup> April 2023

KANH GIA CO., LTD (KGC)  
15 Vo Truong Toan Street,  
Ward 9,  
Vung Tau City,  
Viet Nam

### Attn: To whom it may concern

RE: APPOINTMENT LETTER FOR THE TERRITORY OF VIETNAM

We, DSR CORP hereby confirms that your company, Khanh Gia Co (KGC) has been appointed as our representative sales agent for Single Point Mooring in Vietnam and is authorised to promote, market and sell:

- Complete single point mooring (SPM) systems
- SPM mooring hawsers
- SPM pick-up messenger ropes
- SPM ancillary equipment: buoys, shackles, chafe chain etc..

on behalf of DSR Corporation in the territory of Vietnam.

We shall endeavor to accord technical and commercial support to KGC in promoting and selling our products and services to your esteemed company.

This appointment shall be for a period of one (1) year effective from 20<sup>th</sup> April 2023 and must be renewed in writing before expiration.

For and behalf of DSR Corp.



Andrew Stedman  
**DSR**  
Global SPM Market Manager  
DSR WIRE Corp. / DSR Corp.

DSR CORP  
*S. Hong*

CONFIDENTIAL

1/1

2023-04-20



### AGENT AUTHORIZATION FOR THE TERRITORY OF VIETNAM

Subject: PIPE MARKING TAPES AND MARKERS

The Principal:

A-SPE Europe

Ul. Agatowa 5 82-310 Gronowo Gorne

Poland

Tel: 48 55 235 77 36

The Agent:

Khanh Gia Co., Ltd (KGC)

15 Vo Truong Toan Street, Ward 9

Vung Tau City, Vietnam

Tel: +84 988 984 632

Above company is an authorized representative for A-SPE Europe for sales and marketing of our **PIPE MARKING TAPES AND MARKERS**.

As for commercial confidential between both parties, it should be seriously enforced in order to ensure mutual profit.

Otherwise, each party has privilege to claim.

This letter is valid for period of 1 year (RENEWABLE IF BOTH SIDES ARE SATISFIED)

Signed by:

Edyta Chmielecka

Sales manager

Date:

07-09-2022




A-SPE EUROPE Sp. z o.o.  
ul. Agatowa 5 • 82-310 Gronowo Gorne • POLSKA/POLAND  
Tel: +48 55 235 77 36 Fax: +48 55 235 11 52 Internet: www.a-spe.com E-mail: info@a-spe.com

- ✓ Marine Breakaway Couplings (MBC)
- ✓ Underbuoy Breakaway Couplings (UBC)
- ✓ Emergency Release Systems
- ✓ Quick Mooring Release (PODx)
- ✓ Camlock Couplings


- ✓ Complete single point mooring (SPM) systems
- ✓ SPM mooring hawsers
- ✓ SPM pick-up messenger ropes
- ✓ SPM ancillary equipment; buoys, shackles, chafe chain etc..

- ✓ Marine Signage
- ✓ Pipe Marking
- ✓ Signal Tapes
- ✓ Anti-corrosion and Sealing
- ✓ Photoluminescent Materials
- ✓ Prevention and Repair


## Marine Breakaway Couplings (MBC)



**Petal17 MBC**



**Petal Valve MBC**




**PetalC MBC**



**Flip-Flap Valve MBC**




**Floats MBC**




**Flushing Adaptor Spools (FAS)**

## Underbouy Breakaway Couplings (UBC)



**Petal Valve Underbouy UBC**




**Flip-Flap Valve Underbouy UBC**


## Emergency Release System



**Emergency Release and Shut-Off Couplings (ERSOS)**



**Protected Transfer Systems (PTX)**



**Quick Mooring Release (PODx)**





**Camlock Couplings**






**NY PL12 (SPM)**  
**Rope Size 135mm (Grommet Type)**





NO	PART NAME	SPECIFICATION	MATERIAL	CLIENT	PART
1	End Termination	1.5m Soft eyes at both ends with protective sleeve and coated with polyurethane elastomer	NY6.6	A4	Single Point Mooring
2	Seizing	Seizing with Nylon 3-strand rope (DIA. 16mm) at every 4m intervals			
3	Lace on float	Lace-on-Float for rope size DIA. 135mm Grommet type (Body part 20 pcs, Splice part 5 pcs, Total 25 pcs)	DRAW	23-Jul-2021	NY PL12 (SPM)
4	NY PL12 (SPM)	NY PL12 (SPM) DIA. 135mm, Grommet, Length 45.7 M, NDBS 782mT (3m PU coating from the first seizing)	APPD	23-Jul-2021	
5	Rope Splice Part	Rope Splice Part according to DSR NY PL12 (SPM) Grommet splice standard for each leg	REV 1	18-Aug-2022	
REMARK		* Single Leg NDBS 460 mT, NWBS 413mT / Grommet Factor 1.7 * Length tolerance : ±1% at reference tension (matched pairs ±0.5%) * TCLL Value 76.1% * DSR SPM rope is manufactured and tested in accordance with the OCIMF 2000 guidelines			DRAWING NO SPM-RF20210722-01 Rev:1

**NY DOUBLE B/D (SPM)**  
**Rope Size 17 " (Grommet Type)**





NO	PART NAME	SPECIFICATION	MATERIAL	CLIENT	PART
1	End Termination	Heavy duty Thimble (for 16-18") with protective sleeve and coated with polyurethane elastomer	NY6.6	KGC	Single Point Mooring
2	Seizing	Seizing with Nylon 3-strand rope (DIA. 16mm) at every 3m intervals			
3	NY DOUBLE B/D (SPM)	NY DOUBLE B/D (SPM) DIA. 138mm, Grommet, Length 24 M, NDBS 725 T, NWBS 650 T	DRAW	29-Sep-2022	NY DOUBLE B/D (SPM)
4	Rope Splice Part	Rope Splice Part according to DSR NY DOUBLE B/D (SPM) Grommet splice standard for each leg	APPD	29-Sep-2022	
5	Master Link	Master Link, Type SC1, Master Link MBL 63RT			
REMARK		* Single Leg NDBS 426 T, NWBS 383 T / Grommet Factor 1.7 * Length tolerance : ±1% at reference tension (matched pairs ±0.5%) * TCLL Value 75.85% * DSR SPM rope is manufactured and tested in accordance with the OCIMF 2000 guidelines			DRAWING NO SPM-SF20220929-01 Rev:1

**NY PL12 (SPM)**  
**Rope Size 20 " (Grommet Type)**



NO	PART NAME	SPECIFICATION	MATERIAL	CLIENT	PART
1	End Termination 1	Cast Thimble (for 19-21") with Protective sleeve and Polyurethane encapsulated	NY6.6	KHANH GIA CO., LTD (KGC)	Single Point Mooring
2	Seizing	Seizing with Nylon 3-strand rope (DIA. 16mm) at every 4m intervals			
3	Lace on float	For rope size 20" (DIA. 160mm) Grommet type [No. of Pocket 9, Net Buoyancy/Float : 17.4 kg]	DRAW	27-Dec-2022	NY PL12 (SPM)
4	NY PL12 (SPM)	NY PL12 (SPM) DIA. 160mm, Grommet, Length 65 M, Grommet NDBS 1063 mT	APPD	27-Dec-2022	
5	Rope Splice Part	Rope Splice Part according to DSR NY PL12 (SPM) Grommet splice standard for each leg			
6	End Termination 2	Thimble Thimble (for 21") with protective sleeve and coated with polyurethane			
REMARK		* Single Leg NDBS 627mT, NWBS 563mT / Grommet Factor 1.7 * Length tolerance : ±1% at reference tension (matched pairs ±0.5%) / TCLL Value 76.1% * Special Heavy duty Double Net Shackle, Type H11, WLL255mT, MBL 412mT, Weight 274kgs * DSR SPM rope is manufactured and tested in accordance with the OCIMF 2000 guidelines			DRAWING NO SPM-SF20221227-01 Rev:1

**NY PL12 (SPM)**  
**Rope Size 173mm (Single Leg)**



NO	NAME	SPECIFICATION	MATERIAL	CLIENT	PART
1	Eye	Polyurethane encapsulated Cast Thimble (for 19 - 21") with Heavy duty shackle	NY6.6	KGC	Single Point Mooring
2	Seizing	Seizing with Nylon 3-strand rope (DIA. 16mm)			
3	Seizing	Seizing with Nylon 3-strand rope (DIA. 16mm)	DRAW	22-Oct-2021	NY PL12 (SPM)
4	Retrieval eye	Additionally bawser fitted with 1 retrieval eye attached to center of bawser	APPD	22-Oct-2021	
5	NY PL12 (SPM)	Rope Dia. 173mm, Single Leg Type, Length 90 mtrs, NDBS 728mT			
Overall Dia. (Including Integral Float) Approx. 183mm					
REMARK		* Length tolerance : ±1% at reference tension (matched pair ±0.5%) * DSR NY PL12 (SPM) is manufactured and tested in accordance with the OCIMF 2000 guidelines * Thimble Tolerance : Cast part ±5%, Machined parts ±1mm			DRAWING NO SPM-RF202111022-01 REV:1

### Marine Signage



**AS 01**  
IMO Safety Signs



**AS 02**  
Safety Awareness and Training Posters



**AS 03**  
Tie Tags




**AS 04**  
Safety works manuals and record books



### Signal Tapes

[Learn more](#)



### Pipe Marking

[Learn more](#)



### Anti-corrosion and Sealing

[Learn more](#)

### Prevention and Repair



**MF 03 MF 04**  
Antispray Tapes



**MF 30**  
Hatch Cover Tapes



**MF 40**  
Pipe Repair Kits




**MF 50**  
Anti Leak Silicone Tapes







## Supply The Floating Hose - Anchor Chain & Mooring Hawser for FSO





## Diving & Underwater Equipment





## Spare parts for Marine & Offshore





## Wire rope & Lifting Equipment





# Reference Our Projects

# Offshore







## Supply, Installation Battery & Charger System & Engine Control Panel






## Soft Starter System 6,6kV – 2,2MW For Sea Water Pump FPU DH01




[www.khanhgia.com](http://www.khanhgia.com)



UPS System 30kVA for Offshore - Vietsovpetro





[www.khanhgia.com](http://www.khanhgia.com)









## Supply and Installation new Air Handling Unit System and Engine Maintenance





## Onshore & offshore Services





## Supply & Installation of Diving Stations










# THANKS FOR WATCHING OUR PROFILE !



If you need any information please contact us:

**Khanh Gia Co.,Ltd (KGC)**

40D7 Phan Ke Binh, Ward 9, Vung tau City,  
Vietnam

Tel: +84 254 3839697

Fax: +84 254 3593668

Email: [admin@khanhgia.com](mailto:admin@khanhgia.com)

Web: [www.khanhgia.com](http://www.khanhgia.com)

